




An dieser Stelle steht normalerweise Werbe-
text. Sie könnten hier lesen wie gut die darge-
stellten Schriften sind, dass sie erprobt sind
und sich bewährt haben. Und natürlich, dass
Sie damit jedes Produkt und jede Marke be-
reden oder auswerten können – aber niemand
würde dem Text so richtig glauben, weil er
meistens nur inhaltsleerer »Werbesprech« ist.
Ich gestalte Schrift aus Leidenschaft. Mit
Ausdauer, mit Herzblut und mit dem notwen-
digen technischen Know-How.

Aber schauen Sie selbst: Die Ihnen hier
vorliegende Schriftprobe wurde so gestaltet,
dass Sie die Schriften und den Ausbaugrad
(auch den der Familien) und deren Wirkung
möglichst schnell vergleichen können. Weiter-
führende Informationen erhalten Sie auch auf
meiner Webseite preussstype.com und aus den
entsprechenden Einzelproben zu den Schrif-
ten. Diese können Sie sich als PDF von
meiner Webseite laden. Zu einigen Schriften
erhalten Sie auch kostenfreie Demoversionen,
die Sie natürlich ausprobieren sollten.

Natürlich können Sie auch jederzeit mit mir
persönlich sprechen. Individuelle Schrifstan-
passungen oder -modifikationen nach Kunden-

A B C D E F G
H I J K L M
N O P Q R
S T U
V W X Y Z [] ^ _ `
1 2 3 4 5 6 7 8 9 0
a b c d e f g h
i j k l m n o p q
r s t u v w x y z ß
á à â ã ä å ç è é ê ñ
ó ô õ ö ø ú û ü
ü ([{ f c \$ § £ ¥
¶ † ‡ © ® ¯ ° % ¨
™ }]) ! ?
• / • • • * «

Stylistic Set 01 [ss01]



PRÄFIX

LanguageSystems ↻

KLASSEN Ausblenden

Uppercase ↻

FEATURES

- aalt
- locl ↻
- supš ↻
- frac ↻
- ordn ↻
- Inum ↻
- pnum ↻
- tnum ↻
- onum ↻
- case ↻
- liga ↻
- zero ↻
- salt
- dlig
- ss01**
- ss02 ↻
- ss03 ↻
- ss04 ↻
- ss05 ↻
- cpšp

Generiere Feature automatisch deaktiv

```

1  # ----- Substitution normales s
2
3  sub s by s.ss01;
4  sub [s.ss01] space by [s] space;
5
6  # ----- Substitution Tripple
7
8  sub s s.ss01 b by s_s_b.ss01;
9  sub s s.ss01 h by s_s_h.ss01;
10 sub s s.ss01 i by s_s_i.ss01;
11 sub s s.ss01 k by s_s_k.ss01;
12 sub s s.ss01 l by s_s_l.ss01;
13 sub s s.ss01 t by s_s_t.ss01;
14
15 # ----- Substitution Double
16
17 sub s s.ss01 by s_s.ss01;
18 sub s t by s_t.ss01;
19 sub s b by s_b.ss01;
20 sub s h by s_h.ss01;
21 sub s i by s_i.ss01;
22 sub s k by s_k.ss01;
23 sub s l by s_l.ss01;
24
25 # ----- Substitution mit longs
26
27 lookup SS01_LONGS {
28 sub s.ss01 s.ss01 b by s_s_b.ss01;
29 sub s.ss01 s.ss01 h by s_s_h.ss01;
30 sub s.ss01 s.ss01 i by s_s_i.ss01;
31 sub s.ss01 s.ss01 k by s_s_k.ss01;
32 sub s.ss01 s.ss01 l by s_s_l.ss01;
33 sub s.ss01 s.ss01 t by s_s_t.ss01;
34
35 sub s.ss01 s.ss01 by s_s.ss01;
36 sub s.ss01 t by s_t.ss01;
37 sub s.ss01 b by s_b.ss01;
38 sub s.ss01 h by s_h.ss01;
39 sub s.ss01 i by s_i.ss01;
40 sub s.ss01 k by s_k.ss01;
41 sub s.ss01 l by s_l.ss01;
42 } SS01_LONGS;
        
```

Stylistic Set 02 [ss02]



PRÄFIX	<input checked="" type="checkbox"/> Generiere Feature automatisch <input type="checkbox"/> deaktiv	
LanguageSystems	↻	
KLASSEN		
Uppercase	↻	
FEATURES		
aalt		
locl	↻	
sup	↻	
frac	↻	
ordn	↻	
lnum	↻	
pnum	↻	
tnum	↻	
onum	↻	
case	↻	
liga	↻	
zero	↻	
salt		
dlig		
ss01		
ss02	↻	<pre> 1 sub T by T.ss02; 2 sub Tbar by Tbar.ss02; 3 sub Tcaron by Tcaron.ss02; 4 sub Tcedilla by Tcedilla.ss02; 5 sub Tcommaaccent by Tcommaaccent.ss02; 6 </pre>
ss03	↻	
ss04	↻	
ss05	↻	
cpsp		

Stylistic Set 03 [ss03]



PRÄFIX	<input checked="" type="checkbox"/> Generiere Feature automatisch	<input type="checkbox"/> deaktiv
Languagesystems	↻	
KLASSEN	1	<code>sub r by r.ss03;</code>
Uppercase	2	
FEATURES		
aalt		
locl	↻	
sup	↻	
frac	↻	
ordn	↻	
lnum	↻	
pnum	↻	
tnum	↻	
onum	↻	
case	↻	
liga	↻	
zero	↻	
salt		
dlig		
ss01		
ss02	↻	
ss03	↻	
ss04	↻	
ss05	↻	
csp		

Stylistic Set 04 [ss04]



PRÄFIX	<input checked="" type="checkbox"/> Generiere Feature automatisch <input type="checkbox"/> deaktiv	
LanguageSystems	↻	
KLASSEN		
Uppercase	↻	
FEATURES		
aalt		
locl	↻	
sup	↻	
frac	↻	
ordn	↻	
lnum	↻	
pnum	↻	
tnum	↻	
onum	↻	
case	↻	
liga	↻	
zero	↻	
salt		
dlig		
ss01		
ss02	↻	
ss03	↻	
ss04	↻	<pre> 1 sub germandbls by germandbls.ss04; 2 sub question by question.ss04; 3 sub semicolon by semicolon.ss04; 4 sub ampersand by ampersand.ss04; 5 sub paragraph by paragraph.ss04; 6 sub trademark by trademark.ss04; 7 </pre>
ss05	↻	
csp		

Stylistic Set 05 [ss05]



PRÄFIX
 Languagesystems ↻

KLASSEN
 Uppercase ↻

FEATURES

- aalt ↻
- locl ↻
- supr ↻
- frac ↻
- ordn ↻
- Inum ↻
- pnum ↻
- tnum ↻
- onum ↻
- case ↻
- liga ↻
- zero ↻
- salt ↻
- dlig ↻
- ss01 ↻
- ss02 ↻
- ss03 ↻
- ss04 ↻
- ss05** ↻
- cpsp ↻

Generiere Feature automatisch deaktiv

1	sub a by a.ss05;
2	sub b by b.ss05;
3	sub c by c.ss05;
4	sub d by d.ss05;
5	sub e by e.ss05;
6	sub f by f.ss05;
7	sub g by g.ss05;
8	sub h by h.ss05;
9	sub i by i.ss05;
10	sub j by j.ss05;
11	

Standard Ligatures [liga]

Netzfischer, Schiffer, Schlaffi, Schlafflager, fleisch

PRÄFIX	Ausblenden	<input checked="" type="checkbox"/> Generiere Feature automatisch <input type="checkbox"/> deaktiv	
LanguageSystems		1	<code>sub f f l by f_f_l;</code>
KLASSEN		2	<code>sub f f i by f_f_i;</code>
Uppercase		3	<code>sub f i by fi;</code>
FEATURES		4	<code>sub f f by f_f;</code>
aalt		5	<code>sub f l by fl;</code>
locl		6	
sups			
frac			
ordn			
lnum			
pnum			
tnum			
onum			
case			
liga			
zero			
salt			
dlig			
ss01			
ss02			
ss03			
ss04			
ss05			
cpsp			

Discretionary ligatures [dlig]

geſſhaft, Koſſkur, Couſine, ſturtzbezoſſen, Alkohol ...

PRÄFIX		<input type="checkbox"/> Generiere Feature automatisch	<input type="checkbox"/> deaktiv
Language systems	↻		
KLASSEN			
Uppercase	↻		
FEATURES Ausblenden			
aalt			
locl	↻		
sup	↻		
frac	↻		
ordn	↻		
lnum	↻		
pnum	↻		
tnum	↻		
onum	↻		
case	↻		
liga	↻		
zero	↻		
salt			
dlig			
ss01			
ss02	↻		
ss03	↻		
ss04	↻		
ss05	↻		
cpsp			

```

1 sub f f h by f_f_h;
2 sub f f k by f_f_k;
3 sub F h by F_h;
4 sub F k by F_k;
5 sub F l by F_l;
6
7 # Historische Ligaturen mit longs
8 sub s s h by s_s_h.ss01;
9 sub s s k by s_s_k.ss01;
10 sub s_s by s_s.ss01;
11 sub s i by s_i.ss01;
12 sub s k by s_k.ss01;
13 sub s l by s_l.ss01;
14 sub s t by s_t.ss01;
15
16 sub c h by c_h;
17 sub c k by c_k;
18 sub f h by f_h;
19 sub f i by f_i;
20 sub f k by f_k;
21 sub f l by f_l;
22 sub l b by l_b;
23 sub l h by l_h;
24 sub l k by l_k;
25 sub l l by l_l;
26 sub s s by s_s;
27 sub t z by t_z;
28

```

Stylistic Alternates [salt] ... ss01

fesshaft, Koffkur, Cousine, sturzbesoffen, Alkohol ...

PRÄFIX	<input type="checkbox"/> Generiere Feature automatisch	<input type="checkbox"/> deaktiv
Language systems		
KLASSEN		
Uppercase		
FEATURES		
aalt		
locl		
sup		
frac		
ordn		
Inum		
pnum		
tnum		
onum		
case		
liga		
zero		
salt		
dlig		
ss01		
ss02		
ss03		
ss04		
ss05		
cp		

```
1 # ----- Substitution normales s
2
3 sub s by s.ss01;
4
5 # ----- Substitution Tripple
6
7 sub s s.ss01 b by s_s_b.ss01;
8 sub s s.ss01 h by s_s_h.ss01;
9 sub s s.ss01 i by s_s_i.ss01;
10 sub s s.ss01 k by s_s_k.ss01;
11 sub s s.ss01 l by s_s_l.ss01;
12 sub s s.ss01 t by s_s_t.ss01;
13
14 # ----- Substitution Double
15
16 sub s s.ss01 by s_s.ss01;
17 sub s t by s_t.ss01;
18 sub s b by s_b.ss01;
19 sub s h by s_h.ss01;
20 sub s i by s_i.ss01;
21 sub s k by s_k.ss01;
22 sub s l by s_l.ss01;
23
24 # ----- Substitution mit longs
25
26 lookup SALT_LONGS {
27 sub s.ss01 s.ss01 b by s_s_b.ss01;
28 sub s.ss01 s.ss01 h by s_s_h.ss01;
29 sub s.ss01 s.ss01 i by s_s_i.ss01;
30 sub s.ss01 s.ss01 k by s_s_k.ss01;
31 sub s.ss01 s.ss01 l by s_s_l.ss01;
32 sub s.ss01 s.ss01 t by s_s_t.ss01;
33
34 sub s.ss01 s.ss01 by s_s.ss01;
35 sub s.ss01 t by s_t.ss01;
36 sub s.ss01 b by s_b.ss01;
37 sub s.ss01 h by s_h.ss01;
38 sub s.ss01 i by s_i.ss01;
39 sub s.ss01 k by s_k.ss01;
40 sub s.ss01 l by s_l.ss01;
41
42 } SALT_LONGS;
```